

December 2011 MSS/LPS/SPS Joint Subcommittee Meeting

ABSTRACT SUBMITTAL FORM

The submission of an abstract is an agreement to complete a final paper for publication and attend the meeting to present this information. Complete all information requested in the author and co-author information sections; the first author listed will receive paper acceptance notices and all correspondence. Abstracts must be submitted electronically; submittal instructions are located in the call for papers. **The abstract deadline date is June 13, 2011.**

ABSTRACT INFORMATION

Title: Study of Anti-Vortex Baffle Effect In Suppressing Swirling Flow in LOX Tank

Submitted for consideration to: ☐ MSS ☒ LPS ☐ SPS

For inclusion in Technical Area: ☐ 1 ☐ 2 ☐ 3 ☒ 4 ☐ 5 ☐ 6

Security Classification of Presentation: ☐ Unclassified

Security Classification of Paper: ☐ Unclassified

Contract Number(s) Under Which Work was Performed: Jacob: No 33-040214-CB ☐ IR&D

Is this paper an update? ☐ Yes ☒ No Has it been presented elsewhere? ☐ Yes ☒ No Is this a student paper? ☐ Yes ☒ No

AUTHOR INFORMATION

Author/Presenter Name: H. Q. Yang

Affiliation CFD Research Corp./Jacobs Engineering Contractor

Address NASA Marshall Space Flight Center - ER42

City MSFC State AL Zip 35812

Telephone 256-544-8978 Telefax 256-544-1630

e-mail: Hong.Q.Yang@nasa.gov

2nd Author: John Peugeot

Affiliation NASA Marshall Space Flight Center - ER42

Address NASA Marshall Space Flight Center - ER42

City MSFC State AL Zip 35812

Telephone 256.544.4154 Telefax 256-544-1630

e-mail: John.W.Peugeot@nasa.gov

3rd Author:

Affiliation

Address

City State Zip

Telephone Telefax

e-mail:

Additional Author(s):

Affiliation

Address

City State Zip

Telephone Telefax

e-mail:

MANAGEMENT APPROVAL

The individual below certifies that the required resources are available to present this paper at the above subject JANNAF meeting.

Responsible Manager authorizing presentation:

Title/Agency:

Telephone Number:

e-mail:

Date:

December 2011 MSS/LPS/SPS Joint Subcommittee Meeting
ABSTRACT SUBMITTAL FORM

Unclassified Abstract

(250-300 words; do not include figures or tables)

Simulations were made for the LOX tank subjected to the simulated Ares I flight loads under the conditions with anti-vortex baffles and without the baffles. The results showed that roll maneuvering and side loads due to pitch and yaw can all lead to swirling flow inside the tank. The vortical flow due to roll is symmetrical with respect to the tank center line, while those induced by pitch and yaw maneuverings showed two vortices side by side. The swirling flows are undesirable as they cause surface dip during the late stage of drainage and non-uniform flow velocity in the drainage pipe. The present study found that the secondary swirling flow velocity component can be as high as 10% of the draining velocity. Vortex dynamic physics is analyzed to show that the swirling flows in the drainage pipe during the Upper Stage burn are mainly the results of the residual vortices inside the tank due to conservation of angular momentum. This study demonstrated that anti-vortex baffles can effectively suppress the swirling flows in the drainage pipe. The effect of the anti-vortex baffle hole sizes is also discussed.